
Honeyguide

WILDLIFE HOLIDAYS

36 Thunder Lane, Thorpe St Andrew, Norwich NR7 0PX Tel: 01603 300552 Evenings & weekends Fax: 01603 491586 www.honeyguide.co.uk E-mail: honeyguide@tesco.net



Danube Delta 5 – 12 June 2004

Danube Delta 5 – 12 June 2004

Holiday participants

David Baker Essex

Nigel Blake Ipswich

Celia Richardson

Richard Smith Dover

Jim Higgins Trowbridge, Wilts

Helen Sharples Devizes, Wilts

Mike Freer Norwich

Sergio and Señora Morcillo * Spain

David Gough Cambridgeshire

John Durdin (guest of Ibis tours)

Norfolk

Leaders

Eugen Petrescu (birds)

Mihai Petrescu (botanist, for two days in Dobrogea)

Bird list by Eugen Petrescu, assisted by Octavian in the Ibis office.

Illustrations by Rob Hume. Cover: white pelican

This holiday, as for every Honeyguide holiday, also puts something into conservation in our host country by way of a contribution to the wildlife that we enjoyed. The conservation contribution this year of £25 per person, £225, was given to the young ornithologists group in Tulcea, *Falco cherrug* (the saker falcon). This brings the total given to the Romanian Ornithological Society (SOR) since 1999 to £2225, and to various conservation projects in Europe to £33,330 since the start of Honeyguide in 1991. A thank-you letter from SOR appears at the end of this report.

^{*} joined the group in Bucharest

Danube Delta 5 – 12 June 2004

Itinerary in Dobrogea, the first three days, and the Danube Delta, days 4-6.

Day 1	6 June	Badadag, Istria, Vadu Cheia	Shower.
Day 2	7 June	Parches, Celic Dere, Macin	Cloudy but OK
Day 3	8 June	Denis-Tepe, Babadag, Enisala, Sarinasuf, Plopu, Saraturi-Murighiol, Bestepe	Good weather
Day 4	9 June	Canal 35, Sontea, Baclanesti, Furtuna, Maliuc Dunarea Veche	Good weather
Day 5	10 June	Canal Magearu Letea, , Caraorman, Lopatna(Mila 23)	Good weather (only half hour shower)
Day 6	11 June	Lakes :Trei lezere, Bogdaproste, Versina, - Old Danube, Mila 23, Sontea,Tulcea	Cold morning, slightly cloudy, but in the afternoon OK

Danubian Delights

Group member Mike Freer wrote this article for the Norwich RSPB local group newsletter, and is included here with the group's kind permission.


"The three best places in Europe for birding," a veteran birder assured me some time ago, "are Extremadura (Spain), the Danube Delta (Romania) and the area around Paphos (Cyprus)."

This year I've visited the first two and, as a friend has very conveniently bought a house in Paphos, I've no doubt birding in Aphrodite's Isle will be scheduled soon – in spite, I admit, of my dislike of the Cypriot's love of shooting.

Extremadura was recently well described in the newsletter by our epistolary Membership Secretary, but the quantity (and quality) of bird life in the Danube Delta is possibly superior: anyway, it's quite stupendous.

Visits centre on Tulcea - 150 miles north-east of Bucharest - where the Danube divides into three major channels as well as a host of minor waterways, man-made canals, marshes, lakes and swamps. It is an area of 5640 km² with 2700 km² of reeds - the world's largest unbroken stand. Cley and Salthouse marshes together total just 31.2 km².

The party I was with spent the first few days land-based around Tulcea finding such British list rarities as Red-breasted Flycatcher, Paddyfield Warbler, Collared Pratincole, Pied Wheatear, Rose-coloured Starling (*right*), Ortolan Bunting, Lesser Grey Shrike (the commonest roadside bird), Tawny Pipit, Crested and Short-toed Larks. Species unknown here in the UK included Middle Spotted Woodpecker and Sombre Tit. Nearly all of the above were easily seen, and in large numbers. Telescopes provided good views of Caspian and Gull-billed Terns alongside breeding colonies of Little and Mediterranean Gulls.



For the remainder of the time we lodged in the Romanian owned Ibis Tours floating hotel, and very comfortable it was too. Cabins were basic, perhaps, but both food and service were first class. This pontoon was towed to convenient rendezvous for the small launch which cruised different waterways for us each day, providing marvellous close views, in fantastic numbers, of White and Dalmatian Pelicans, Black-necked and Red-necked Grebes, Pygmy Cormorant, Little Bittern, Night, Squacco and Purple Herons, Spoonbill, Glossy Ibis (*below*), Red-crested Pochard, Ferruginous Duck and Garganey. To easily see dozen strong flocks of the last (all male) was a delight, remembering what a 'difficult' bird this is in Britain. An unexpected bonus on a lake with Black, White-winged Black, and Whiskered Terns was a pair of Smew. According to our excellent Romanian Guide, Eugen Petrescu, they were almost certainly breeding.


Raptors were well represented both around Tulcea and over the delta with Saker and Red-footed Falcons, Levant Sparrowhawk and White-tailed Eagle perhaps providing the greatest pleasure though there were almost daily sightings of Honey and Long-legged Buzzards, Booted Eagle and Hobby. We were sometimes 'inspected' by Black, Grey-headed and Syrian Woodpeckers – again amazingly close sightings from the floating hotel.

A visit such as this is an experience, not just for birders. Ibis provided a guide (another Petrescu ... Mihai) who was an expert botanist and geologist who also had a tip-top knowledge of Romanian culture and history. It was intriguing to be told that a village was first settled by Greeks while other villages in the area are mainly Gypsy or Turkish. Within a few miles of the black sea we visited the marsh-surrounded settlement of Letea. Small timber houses, each with individual wooden devil-chasing charms over every door, either side of the 500 metre ankle-deep, sandy main street over which farm carts trundled to and from the adjacent fields. Absolutely Tolstoyan! It was no surprise to find that Letea was originally a Ukrainian settlement.

A well-known Norwich birder pessimistically warned me about Danubian mosquitoes. Of course visitors must be prepared for them, but all I can say is that I wasn't bitten once and the only noxious insects I saw were hanging on the wire window-screens around 10 pm. Any such mosquitoes kindly disappear by first light. One morning, with the hotel anchored alongside a gigantic reed-bed, I arose at six and remained motionless for half-an-hour listening for, locating and eventually seeing a Savi's Warbler about ten feet from the pontoon: no sign of a mossie!

My visits to Spain and Romania were both organized by Norwich's own Honeyguide Wildlife Holidays - run by Norwich's own Chris Durdin. I believe in supporting local industry!

Mike Freer



Bird List for Honeyguide Group June 6—11, 2004 Dobrogea and Danube Delta

PODICIPEDIDAE									
Contrologies	-	_	X	<u>2</u>	<u>3</u>	<u>4</u>	<u>5</u>	<u>6</u>	<u>7</u>
Second Crested Grebe	<u>PODICIPEDIDAE</u>	-			□				
Red-necked Grebe	<u>Little Grebe</u>		П	П	П	П	X	П	П
Black-necked Grebe	Great Crested Grebe				X	X			
PHALACROCORACIDAE	Red-necked Grebe	grisegena	П	П	П				П
PHALACROCORACIDAE	Black-necked Grebe	<u>Podiceps</u> nigricolis						X	
Commonant	PHALACROCORACIDAE	-						П	
PELECANIDAE	Cormorant							×	П
White Pelican Pelecanus orispus □ <th< td=""><td>Pygmy Cormorant</td><td>P. pygmeus</td><td></td><td>X</td><td>П</td><td>×</td><td>X</td><td>×</td><td>П</td></th<>	Pygmy Cormorant	P. pygmeus		X	П	×	X	×	П
Martic Pelican	PELECANIDAE	_	□					<u>П</u>	
Dalmatian Pelican	White Pelican							×	
ARDEIDAE P C P P C P D<	Dalmatian Pelican		\square	×	×	×	×	\boxtimes	
Bittle Bittern minulus M D D M M M D Squacco Heron Ardcola ralloides D D D M M M M D D D M	ARDEIDAE	₽							
Night-heron Medicorax precisionax precisionax I <td><u>Little Bittern</u></td> <td></td> <td></td> <td>П</td> <td>П</td> <td>×</td> <td>X</td> <td>X</td> <td>П</td>	<u>Little Bittern</u>			П	П	×	X	X	П
Squacco Heron	Night-heron	<u>Nycticorax</u>		П	П	×	×	\square	
Little Egret									
Great White Egret Egretta alba ⋈		Egretta garzetta							
Grey Heron		Egretta alba							
Durple Heron		Ardea cinerea							
CICONIDAE □		A. purpurea							
White Stork Ciconia ciconia ⋈ </td <td>•</td> <td>₽</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	•	₽							
Black Stork		Ciconia ciconia						\boxtimes	
THRESKIORNITHIDAE □	Black Stork	Ciconia nigra							
Glossy Ibis falcinellus □	THRESKIORNITHIDAE	D D							
Spoonbill Ieucorodia ⋈	Glossy Ibis							X	
Mute Swan Cygns olor □	Spoonbill		×	X	П	X	X	×	П
Greylag Goose Anser anser ⋈ □ <td>ANATIDAE</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	ANATIDAE								
Shelduck Tadorna tadorna ⋈ □ ⋈ □ ⋈ □	Mute Swan	Cygns olor			×	×		×	П
Shelduck Tadorna tadorna ⋈ □ ⋈ □ ⋈ □	Greylag Goose	Anser anser		П	П	П	П	П	
Gadwall Anas strepera ⋈	Shelduck	<u>Tadorna tadorna</u>			×		X	П	П
Mallard Anas platyrhyncos ⋈ <td>Gadwall</td> <td>Anas strepera</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>×</td> <td></td>	Gadwall	Anas strepera						×	
Garganey Anas qurquedula ⋈	<u>Teal</u>	Anas crecca			×				
Shoveler Anas clypeata □	Mallard	Anas platyrhyncos	×	×	×	×		×	П
Shoveler Anas clypeata □	Garganey	Anas qurquedula						×	
Red-crested Pochard Netta rufina ⋈ □ ⋈ □ <t< td=""><td>Shoveler</td><td>Anas clypeata</td><td></td><td>П</td><td></td><td></td><td></td><td></td><td></td></t<>	Shoveler	Anas clypeata		П					
Pochard Ayhtya ferina ⋈	Red-crested Pochard	<u>Netta rufina</u>		П					
Ferruginous Duck Aythya nyroca ⋈	<u>Pochard</u>	<u>Ayhtya ferina</u>	×	X	X	X	X	X	
Tufted Duck Aythya fuligula	Ferruginous Duck	<u>Aythya nyroca</u>							П
Smew Mergus albellus □	Tufted Duck	<u>Aythya fuligula</u>							
ACCIPITRIDAE Pernis apivorus X	Smew	Mergus albellus							
White-tailed Eagle Haliaeetus albicilla Circaetus gallicus March Harrier March Harrier	ACCIPITRIDAE	₽					□		
White-tailed Eagle albicilla □	Honey-Buzzard		X	X	X	П	X	П	
Short-toed Eagle Circaetus gallicus	White-tailed Eagle					×		×	
Morsh Harrier Circus	Short-toed Eagle		П	П		П	П	П	П
	Marsh Harrier			×		×	×	×	

П	₽	X	2	3	4	5	6	7
Levant Sparrowhawk	A. brevipes	П			П	П	П	П
Common Buzzard	<u>Buteo buteo</u>	П	×	×				
Long-legged Buzzard	Buteo rufinus		×	<u> </u>	П	П		
Booted Eagle	<u>Hieraaetus</u> <u>pennatus</u>			×	П			
FALCONIDAE								
Kestrel	Falco tinnunculus	<u>-</u>	<u> </u>	<u> </u>		⊠		
Hobby	Falco subbuteo			×			×	
Red-footed falcon	Falco vespertinus		×	×	×	×		
Saker Falcon	Falco cherrug	П			П			П
PHASIANEIDAE	₽							
Quail	<u>Coturnix coturnix</u>	\boxtimes	\boxtimes					П
<u>Pheasant</u>	<u>Phasianus</u> <u>colchius</u>		П	П	П	П	П	П
RALLIDAE								
Water Rail	Rallus aquaticus		П		П	\square		П
Moorhen	<u>Gallinula</u> chloropus		П	×			×	
Coot	Fulica atra		<u> </u>	<u> </u>			<u> </u>	
RECURVIROSRTIDAE	₽							
Black-winged Stilt	<u>Himantopus</u> himantopus					⊠		
Avocet	<u>Recurvirostra</u>	×		⊠		×		
BURHINIDAE	avosetta		_		_			
Stone-curlew	<u>Burhinus</u>	_				_	_	
GLAREOLIDAE	oedicnemus]]	
	<u>Glareola</u>							
CHAPA PRINCIPAL	<u>pratincola</u>		<u> </u>	_ [<u> </u>		<u> </u>	_
CHARADRIIDAE Little Ringed Plover	Charadrius dbius							
Kentish Plover	C. alexandrinus							
	Vanellus vanellus				П.			
Lapwing SCOLOPACIDAE								
Little Stint	Calidris minuta			-	<u> </u>			
Curlew Sandpiper	<u>Calidris</u>	M	П					
Black-tailed Godwit	<u>rerruginea</u> Limosa limosa							
Curlew	Numenius arquata		Ш				Ш	Ш
Spotted Redshank	Tringa erythropus							
Redshank	Tringa totanus							
Marsh Sandpiper	Tringa stagnatilis							
Greenshank	Tringa nebularia]	
Green Sandpiper	Tringa ochropus]	
Wood Sandpiper	Tringa ochropus							
LARIDAE								
Mediterranean Gull	L. melanociphalus							
Little Gull	Larus minutus			XI				
Black-headed Gull	<u>Larus ridibundis</u>			×				
Yellow-legged Gull	Larus cachinans			×				
Herring Gull	Larus argentatus							
STERNIDAE								
Gull-billed Tern	Gelochelidon							
Caspian Tern	<u>nilotica</u> <u>Sterna caspia</u>							
1	Sterna							
Sandwich Tern	<u>sandvicensis</u>		П	П	П	П	П	

	₽	X	2	3	4	5	6	7
Common Tern	<u>Sterna hirundo</u>					⊠		
Little Tern	Sterna albifrons		П	×	П		П	П
Whiskered Tern	<u>Chilidonias</u> hibrida							
Black Tern	Chilidonias niger		_		_		_	
White-winged Black Tern	C. leucopterus							
COLUMBIDAE								
Stock Dove	<u>Columba oenas</u>	П						
Woodpigeon	<u>Columba</u> palumbus							
Collared Dove	Streptopelia							
	<u>decaocto</u> Streptopelia							
Turtle Dove	<u>turtur</u>				П		П	
CUCULIDAE			□			□	□	
Cuckoo	<u>Cuculus canorus</u>							
STRIGIDAE	Athana na stua		□	□			□	
Little Owl	Athene noctua							
APODIDAE	Apus apus							
Swift ALCEDINIDAE	Apus apus							
Kingfisher	Alcedo atthis							_
MEROPIIDAE								
Bee-eater	Merops apiaster	_				_		
CORACIIDAE								
Roller	Coracius garrulus							
<u>UPUPIDAE</u>								
Hoopoe	Upupa epops							
PICIDAE	₽							
Wryneck	<u>Jynx torquilla</u>	П		П	П	П		
Grey-headed Woodpecker	<u>Picus canus</u>	П				П		П
Green Woodpecker	<u>Picus viridis</u>		П	П			П	
Black Woodpecker	<u>Dryocopus</u> maritius		П					
Great Spotted Woodpecker	<u>D. major</u>							
Syrian Woodpecker	D. syriacus							
Middle Spotted Woodpecker	D. medius							П
ALAUDIDAE								
Calandra Lark	<u>Melanocorypha</u>		<u> </u>	<u> </u>	П	П	П	
Short-toed Lark	<u>calandra</u> <u>Calandrella</u>							
	<u>brachydactyla</u> Galerida cristata			<u> </u>				
Crested Lark	Llulula arborea							
Woodlark	Alauda arvensis			X			П	
Skylark	Alauda arvensis							
HIRUNDINIDAE Sand Martin	Riparia riparia							
Swallow	Hirundo rustica							
Swallow Pad rumped Swellow	Hirundo daurica							
Red-rumped Swallow House Martin	Delichon urbica				П			
MOTACILLIDAE	Deticnon urbica							
Tawny Pipit	Anthus campestris			<u></u>				
	Motacilla flava							
Blue-headed Wagtail	<u>flava</u> <u>Motacilla f.</u>							
Black-headed Wagtail	<u>feldegg</u>	☒		☒				
White Wagtail	<u>Motacilla alba</u>	\boxtimes	\boxtimes	\boxtimes	\boxtimes	\boxtimes	\boxtimes	

	□	X	2	3	4	<u>5</u>	6	7
TURDIDAE	₽	□						
Robin	Erithacus rubecula	\boxtimes						
Thrush Nightingale	Luscinia luscinia				\boxtimes			
Nightingale	<u>Luscinia</u> megarhynchos	⊠	⊠	\boxtimes	\boxtimes		\boxtimes	
Black Redstart	Phoenicurus ochruros		П		\boxtimes			
Redstart	<u>Phoenicurus</u>				⊠	×		
Stonechat	<u>phoenicurus</u> Saxicola torquata							
Isabelline Wheatear	Oenanthe_		X X					
	<u>isabellina</u> <u>Oenanthe</u>	_						
Wheatear	oenanthe Oenanthe							
Pied Wheatear	<u>pleschanka</u>							
Blackbird	<u>Turdus merula</u> Turdus	\boxtimes		\boxtimes	\boxtimes	\boxtimes		
Song Thrush	<u>philomelos</u>	⊠						
SYLVIIDAE	□ Locustella							□
Savi's Warbler	<u>luscinioides</u>				\boxtimes	\boxtimes		
Sedge Warbler	A. shoenobaenus				\boxtimes			
Paddyfield Warbler	A. agricola Acrociphalus	\boxtimes						
Reed Warbler	<u>scirpaceus</u>	☒				☒	☒	
Great Reed Warbler	A. arundinaceus	×	×	×	\boxtimes	×	×	
Olivaceous Warbler	<u>Hippolais pallida</u>				\boxtimes			
<u>Icterine Warbler</u>	<u>Hippolais icterina</u>	☒	☒					
Barred Warbler	<u>Sylvia nisoria</u>							
<u>Lesser Whitethroat</u>	<u>Sylvia curruca</u>			☒	×	☒	☒	
Whitethroat	Sylvia communis		☒					
Garden Warbler	Sylvia borin				\boxtimes	\boxtimes		
Blackcap	<u>Sylvia atricapilla</u> <u>Phylloscopus</u>		☒		×	☒		
Wood Warbler	sibilatrix Phylloscopus	⊠		×				
<u>Chiffchaff</u>	<u>collybita</u>	☒						
MUSCICAPIDAE	<u> </u>							
Spotted Flycatcher	Muscicapa striata	☒						
Red-breasted Flycatcher	Ficedula parva							
TIMALIIDAE	Panurus						□	□
Bearded Tit	<u>biarmicus</u>							
PARIDAE	☐ Aegithalos							
Long-tailed Tit	<u>caudatus</u>				\boxtimes		☒	
Sombre Tit	Parus lugubris		☒					
Blue Tit	Parus cauruleus	☒						
Great Tit	<u>Parus major</u> □							
SITTIDAE Nuthatah	Sitta europaea							
Nuthatch CERTHIDAE								
Treecreeper	Certhia familiaris			_				
REMIZIDAE								
Penduline Tit	Remiz pendulinus				<u> </u>		□□□ ⊠	
ORIOLIDAE	₽							
Golden Oriole	Oriolus oriolus		⊠					
<u>LANIIDAE</u>	₽							□
Red-backed Shrike	<u>Lanius collurio</u>	\boxtimes		\boxtimes	\boxtimes	\boxtimes		

	₽	X	<u>2</u>	<u>3</u>	<u>4</u>	<u>5</u>	<u>6</u>	<u>7</u>
Lesser Grey Shrike	Lanius minor	\boxtimes	×	×	×			
CORVIDAE	<u> </u>							
Magpie	<u>Pica pica</u>	\boxtimes	\boxtimes	\boxtimes	\boxtimes	\boxtimes	\boxtimes	
<u>Jackdaw</u>	Corvus monedula	\boxtimes	\boxtimes	\boxtimes	\boxtimes	\boxtimes	\boxtimes	
Rook	Corvus frugilegus	\boxtimes	\boxtimes	\boxtimes	\boxtimes	\boxtimes	\boxtimes	
Hooded Crow	Corvus corone cornix	\boxtimes	\boxtimes	\boxtimes	\boxtimes	\boxtimes	\boxtimes	
STURNIDAE	<u> </u>		□	₽	₽		₽	
Starling	Sturnus vulgaris	\boxtimes	\boxtimes	\boxtimes	\boxtimes	\boxtimes	\boxtimes	
Rose-coloured Starling	Sturnus roseus	\boxtimes						
<u>PASSERIDAE</u>	₽							
House Sparrow	<u>Passer domesticus</u>	×						
Spanish Sparrow	<u>Passer</u> <u>hispaniolensis</u>	⋈	\boxtimes	\boxtimes				
Tree Sparrow	Passer montanus	\boxtimes		\boxtimes			\boxtimes	
<u>Chaffinch</u>	Fringilla coelebs	\boxtimes	\boxtimes	\boxtimes	\boxtimes		\boxtimes	
Greenfinch	Carduelis chloris		X	X				
Goldfinch	<u>Carsuelis</u> carduelis	\boxtimes	\boxtimes	\boxtimes	\boxtimes		\boxtimes	
Linnet	<u>Carduelis</u> cannabina		\boxtimes	\boxtimes				
Hawfinch	Cocothraustes c.		\boxtimes					
EMBERIZIDAE	₽							
Yellowhammer	<u>Emberiza</u> citrinella			⊠				
<u>Ortolan</u>	Emberiza hortulana	\boxtimes	\boxtimes	\boxtimes				
Reed Bunting	Emberiza schoeniclus				\boxtimes	⋈	\boxtimes	
Corn Bunting	Miliaria calandra					П	П	П
□	₽							
□	₽							
MAMMALS & OTHERS	₽							
⊞ARE	₽	\boxtimes	×	×				
FOX	₽	×						
S USLIK	₽	\boxtimes	\boxtimes					
	₽				<u>_</u> _			
Spur-thighed tortoise	Testudo graeca	⋈	\boxtimes					
European pond terrapin	Emis orbicularis				\boxtimes			
Eastern spadefoot toad ☐	Pelobates syriacus <u></u> □			\boxtimes				
Grass snake	Natrix natrix						\boxtimes	

SOCIETATEA ORNITOLOGICA ROMANA



The Romanian Ornithological Society Biroul Tulcea/Tulcea office

Societate pentru studiul si protectia pasarilor si a mediului inconjurator Society for the study and protection of birds and environment

BirdLife International

Biroul Tulcea: Str. Garii, bl.G5, sc. B, ap.2, Tel/fax 040.515.438

Sediul central: Str. Gh. Dima, nr.49/2, 3400 Cluj-Napoca Tel/fax: 064.438.086, email: sorcj@codec.ro

Dear Chris Durdin and Honeyguide tourists,

Every year your generous support helps us to develop constant and fruitful ecological education activities.

All the ROS-Falco Cherrug members thank you for your financial support, field guides, and binoculars.

Thanks to your help, more and more young people from Tulcea and Danube Delta have the chance to learn about birds, plants, reptiles, amphibians and butterflies.

This way they become interested in protection and conservation of biodiversity of this area.

This year we will organize:

- The Ornithology Camp in Danube Delta and Vadu (near Sinoe lagoon and seashore).
- The first stage of the camp will be in the Danube Delta and the second stage will be at Vadu (in the south of the Chituc levee and Black Sea lagoons). The young participants will have the chance to observe the birds, plants, and to have a real image of Delta's and lagoon's wildlife. More than that, they can realize how fragile this ecosystems are if we are not friendly with them. So we will also have an ecological aim: to clean the surroundings of the camp of plastic wastes.
- The Monitoring of Raptors Migration in Macin Mountains.
- We will monitor the migration of raptors in Macin Mountains for few days at the beginning of September, and all the others gliding species of birds (storks, pelicans, Crane, Glossy Ibis, and Spoonbill). In this camp the young people will learn and understand the importance of the raptors in the ecosystems and also our data will contribute to the conservation of these species in Europe.

We hope we will finish these camps successfully. We will inform you about our results. We thank you again for your great help in our ecological education work.

Sincerely yours,

Prof.Gabriela Dorosencu, President of Falco Cherrug—ROS Tulcea Branch

Eugen Petrescu ROS-Danube Delta Conservation Officer